INDEX TO AUTHORS

A

ANDERSON, W. A., WEISSMAN, A., and ELLIS, R. A. Cytodifferentiation during spermiogenesis in *Lumbricus terrestris*, 11

ARONSON, JOHN F. Polarized light observations on striated muscle contraction in a mite, 169

B

BARNICOT, N. A. A study of newt mitotic chromosomes by negative staining, 585

BAUDHUIN, PIERRE, EVRARD, PHILIPPE, and BERTHET, JACQUES. Electron microscopic examination of subcellular fractions. I. The preparation of representative samples from suspensions of particles, 181

BERGMAN, RONALD A. Motor nerve endings of twitch muscle fibers in *Hippocampus hudsonius*, 751

BERGSTRAND, ANDERS. See SOTTOCASA, KUYLENSTIERNA, ERNSTER, and BERGSTRAND, 415

BERLIN, J. D. The localization of acid mucopolysaccharides in the Golgi complex of intestinal goblet cells, 760

BERTHET, JACQUES. See BAUDHUIN, EVRARD, and BERTHET, 181

BERTINI, FRANCISCO. See MEGO, BERTINI, and MCQUEEN, 699

BERTOLINI, B., and HASSAN, G. Acid phosphatase associated with the Golgi apparatus in human liver cells, 216

BOWERS, WILBERT D., JR. See MCCLARY and BOWERS, 519

BOWERS, WILLIAM E., and DE DUVE, CHRISTIAN. Lysosomes in lymphoid tissue. II. Intracellular distribution of acid hydrolases, 339

—, and —. III. Influence of various treatments of the animals on the distribution of acid hydrolases, 349

—, FINKENSTAEDT, JOHN T., and DE DUVE, CHRISTIAN. Lysosomes in lymphoid tissue. I. The measurement of hydrolytic activities in whole homogenates, 325

BRZIN, MIRO, and DETTBARN, WOLF-D. Cholinesterase activity of nodal and internodal regions of myelinated nerve fibers of frog, 577

BUNGE, MARY BARTLETT, BUNGE, RICHARD P., PETERSON, EDITH R., and MURRAY, MARGARET R. A light and electron microscope study of long-term organized cultures of rat dorsal root ganglia, 439

—. See MASUROVSKY, BUNGE, and BUNGE, 467, 497

BUNGE, RICHARD P. See BUNGE, BUNGE, PETERSON, and MURRAY, 439

—. See MASUROVSKY, BUNGE, and BUNGE, 467, 497

C

CALDWELL, PETER R. B. See KISTLER, CALDWELL, and WEIBEL, 605

CASSIDY, M. M., and TIDBALL, C. S. Cellular mechanism of intestinal permeability alterations produced by chelation depletion, 685

CHEVAILLIER, PHILIPPE. Mise en évidence et étude cytochimique d'une protéine basique extranucléaire dans les spermatozoïdes des crustaces décapodes, 547

CRONSHAW, J. See ESAU, CRONSHAW, and HOEFERT, 71

D

DE DUVE, CHRISTIAN. See BOWERS and DE DUVE, 339, 349

—. See BOWERS, FINKENSTAEDT, and DE DUVE, 325

DETTBARN, WOLF-D. See BRZIN and DETTBARN, 577

DOBB, M. G., FRASER, R. D. B., and MACRAE, T. P. The fine structure of silk fibroin, 289

DONNELLY, GRACE M. See SISKEN, WILKES, DONNELLY, and KAKEFUDA, 212

E

EINEM, GERALD E. See HARDIN, EINEM, and LINDSAY, 709

ELLIS, R. A. See ANDERSON, WEISSMAN, and ELLIS, 11

ERNSTER, LARS. See SOTTOCASA, KUYLENSTIERNA, ERNSTER, and BERGSTRAND, 415

—. See ZEIDENBERG, ORRENIUS, and ERNSTER, 528

ERWIN, V. GENE. See SCHNAITMAN, ERWIN, and GREENAWALT, 719

ESAU, K., CRONSHAW, J., and HOEFERT, L. L. Relation of beet yellows virus to the phloem and to movement in the sieve tube, 71

EVANS, JEAN. See KALLMAN, EVANS, and WESSELLS, 231, 236

EVRARD, PHILIPPE. See BAUDHUIN, EVRARD, and BERTHET, 181

F

FINKENSTAEDT, JOHN T. See BOWERS, FINKENSTAEDT, and DE DUVE, 325

FISCHMAN, DONALD A. An electron microscope study of myofibril formation in embryonic chick skeletal muscle, 557

—, and WEINBAUM, GEORGE. The formation of multiple layers of membrane-like structures in *Escherichia coli B*, 524

FLEISCHER, BECCA. See FLEISCHER, FLEISCHER, and STOECKENIUS, 193

FLEISCHER, SIDNEY, FLEISCHER, BECCA, and

STOECKENIUS, WALTHER. Fine structure of lipid-depleted mitochondria, 193
FRASER, R. D. B. See DOBB, FRASER, and MACRAE, 289
FUJITA, SETSUYA. Quantitative analysis of cell proliferation and differentiation in the cortex of the postnatal mouse cerebellum, 277

G

GALL, JOSEPH G. Octagonal nuclear pores, 391
GLASS, E. A. See GRAHAM, KARNOVSKY, SHAFER, GLASS, and KARNOVSKY, 629
GRAHAM, R. C., JR., KARNOVSKY, M. J., SHAFER, A. W., GLASS, E. A., and KARNOVSKY, MANFRED L. Metabolic and morphological observations on the effect of surface-active agents on leukocytes, 629
GREENAWALT, JOHN W. See SCHNAITMAN, ERWIN, and GREENAWALT, 719
GREY, ROBERT D. See MOOG and GREY, C1

H

HAGOPIAN, MARTIN, and SPIRO, DAVID. The sarcoplasmic reticulum and its association with the T system in an insect, 535
HAMILTON, T. H. See WIDNELL, HAMILTON, and TATA, 766
HARDIN, JOHN A., EINEM, GERALD E., and LINDSAY, DAVID T. Simultaneous synthesis of histone and DNA in synchronously dividing *T. trahymena pyriformis*, 709
HASSAN, G. See BERTOLINI and HASSAN, 216
HOEFERT, L. L. See ESAU, CRONSHAW, and HOEFERT, 71
HOENIGER, JUDITH F. M. See VAN ITERSON, HOENIGER, and NIJMAN VAN ZANTEN, 1
HOLMES, RICHARD. Preparation from human serum of an alpha-one protein which induces the immediate growth of unadapted cells in vitro, 297
HUBER, GARY L. See MORGAN and HUBER, 757

J

JASPER, DONALD. Body muscles of the lamprey. Some structural features of the T system and sarcolemma, 219
JEPSEN, ARNE, and THEILADE, JØRGEN. Electron microscopic identification of epithelial cells in tissue culture of oral mucous membrane, 770

K

KAKEFUDA, TSUYOSHI. See SISKEN, WILKES, DONNELLY, and KAKEFUDA, 212
KALLMAN, FRANCES, EVANS, JEAN, and WESSELLS, NORMAN K. Normal epidermal basal cell behavior in the absence of basement membrane, 231
—, —, and —. Anchor filament bundles in embryonic feather germs and skin, 236
— and WESSELLS, NORMAN K. Periodic repeat units of epithelial cell tonofilaments, 227
KANE, R. E. The mitotic apparatus. Identification of the major soluble component of the glycol-isolated mitotic apparatus, 243
KARNOVSKY, MANFRED L. See GRAHAM, KARNOVSKY, SHAFER, GLASS, and KARNOVSKY, 629
KARNOVSKY. M. J. See GRAHAM, KARNOVSKY, SHAFER, GLASS, and KARNOVSKY, 629
KATO, TAKAHIKO, and KUROKAWA, MASANORI. Isolation of cell nuclei from the mammalian cerebral cortex and their assortment on a morphological basis, 649
KISTLER, GONZAGUE S., CALDWELL, PETER R. B., and WEIBEL, EWALD R. Development of fine structural damage to alveolar and capillary lining cells in oxygen-poisoned rat lungs, 605
KLEBANOFF, SEYMOUR J. See ROSS and KLEBANOFF, 155
KUROKAWA, MASANORI. See KATO and KUROKAWA, 649
KUYLENSTIERNA, BO. See SOTTOCASA, KUYLENSTIERNA, ERNSTER, and BERGSTRAND, 415

L

LEBLOND, C. P. See RAMBOURG and LEBLOND, 27
LENTZ, THOMAS L., and TRINKAUS, J. P. A fine structural study of cytodifferentiation during cleavage, blastula, and gastrula stages of *Fundulus heteroclitus*, 121
—. See TRINKAUS and LENTZ, 139
LINDSAY, DAVID T. See HARDIN, EINEM, and LINDSAY, 709

M

MACRAE, T. P. See DOBB, FRASER, and MACRAE, 289
MASUROVSKY, EDMUND B., BUNGE, MARY BARTLETT, and BUNGE, RICHARD P. Cytological studies of organotypic cultures of rat dorsal root ganglia following X-irradiation in vitro. I. Changes in neurons and satellite cells, 467
—, —, and —. II. Changes in Schwann cells, myelin sheaths, and nerve fibers, 497
MATUKAS, VICTOR J., PANNER, BERNARD J., and ORBISON, J. LOWELL. Studies on ultrastructural identification and distribution of protein-polysaccharide in cartilage matrix, 365
MCCLARY, DAN O., and BOWERS, WILBERT D., JR. Structural differentiation of obligately aerobic and facultatively anaerobic yeasts, 519
MCQUEEN, J. DONALD. See MEGO, BERTINI, and MCQUEEN, 699
MEGO, JOHN L., BERTINI, FRANCISCO, and MCQUEEN, J. DONALD. The use of formaldehyde-treated albumin-^{131}I in the study of digestive vacuoles and some properties of these particles from mouse liver, 699
MOOG, FLORENCE, and GREY, ROBERT D. Spatial and temporal differentiation of alkaline phosphatase on the intestinal villi of the mouse, C1
MOORE, RICHARD D. See SCHOENBERG, MOORE, and WEISBERGER, 401
MORGAN, THOMAS E., and HUBER, GARY L. Loss of lipid during fixation for electron microscopy, 757
MURAKAMI, SATORU. See NOBEL and MURAKAMI, 209
MURRAY, MARGARET R. See BUNGE, BUNGE, PETERSON, and MURRAY, 439

N

NIJMAN VAN ZANTEN, EVA. See VAN ITERSON, HOENIGER, and NIJMAN VAN ZANTEN, 1

NOBEL, PARK S., and MURAKAMI, SATORU. Electron microscopic evidence for the location and amount of ion accumulation by spinach chloroplasts, 209

O

OKADA, S. See WATANABE and OKADA, 309

ORBISON, J. LOWELL. See MATUKAS, PANNER, and ORBISON, 365

ORRENIUS, STEN. See ZEIDENBERG, ORRENIUS, and ERNSTER, 528

P

PANNER, BERNARD J. See MATUKAS, PANNER, and ORBISON, 365

PAULY, JOHN EDWARD. See SCHEVING and PAULY, 677

PETERS, ALAN, and VAUGHN, JAMES E. Microtubules and filaments in the axons and astrocytes of early postnatal rat optic nerves, 113

PETERSON, EDITH R. See BUNGE, BUNGE, PETERSON, and MURRAY, 439

R

RAMBOURG, A., and LEBLOND, C. P. Electron microscope observations on the carbohydrate-rich cell coat present at the surface of cells in the rat, 27

RHODIN, JOHANNES. See VANDERBERG and RHODIN, C7

RIZKI, T. M. Ultrastructure of the secretory inclusions of the salivary gland cell in *Drosophila*, 531

ROSE, GEORGE G. The circumfusion system for multipurpose culture chambers. I. Introduction to the mechanics, techniques, and basic results of a 12-chamber (in vitro) closed circulatory system, 89

ROSS, RUSSELL, and KLEBANOFF, SEYMOUR J. Fine structural changes in uterine smooth muscle and fibroblasts in response to estrogen, 155

RYSER, HUGUES J.-P. Studies on protein uptake by isolated tumor cells. III. Apparent stimulations due to pH, hypertonicity, polycations, or dehydration, and their relation to the enhanced penetration of infectious nucleic acids, 737

S

SALPETER, MIRIAM M. Electron microscope radioautography as a quantitative tool in enzyme cytochemistry. The distribution of acetylcholinesterase at motor end plates of a vertebrate twitch muscle, 379

SCHEVING, LAWRENCE EINAR, and PAULY, JOHN EDWARD. Circadian phase relationships of thymidine-^{3}H uptake, labeled nuclei, grain counts, and cell division rate in rat corneal epithelium, 677

SCHNAITMAN, CARL, ERWIN, V. GENE, and GREENAWALT, JOHN W. The submitochondrial localization of monoamine oxidase. An enzymatic marker for the outer membrane of rat liver mitochondria, 719

SCHOENBERG, MELVIN D., MOORE, RICHARD D., and WEISBERGER, AUSTIN S. Differentiation and functional expression of potential antibody-producing cells in the presence of chloramphenicol, 401

SEEMAN, PHILIP. Transient "holes" in the erythrocyte membrane during hypotonic hemolysis and stable "holes" in the membrane after lysis by saponin and lysolecithin, 55

SHAFER, A. W. See GRAHAM, KARNOVSKY, SHAFER, GLASS, and KARNOVSKY, 629

SHOUP, JANE REARICK. Spermiogenesis in wild type and in a male sterility mutant of *Drosophila melanogaster*, 663

SISKEN, JESSE E., WILKES, ELAINA, DONNELLY, GRACE M., and KAKEFUDA, TSUYOSHI. The isolation of the mitotic apparatus from mammalian cells in culture, 212

SOTTOCASA, GIAN LUIGI, KUYLENSTIERNA, BO, ERNSTER, LARS, and BERGSTRAND, ANDERS. An electron-transport system associated with the outer membrane of liver mitochondria. A biochemical and morphological study, 415

SPIRO, DAVID. See HAGOPIAN and SPIRO, 535

STEPHENS, R. E. The mitotic apparatus. Physical chemical characterization of the 22S protein component and its subunits, 255

STOECKENIUS, WALTHER. See FLEISCHER, FLEISCHER, and STOECKENIUS, 193

T

TATA, J. R. See WIDNELL, HAMILTON, and TATA, 766

THEILADE, JØRGEN. See JEPSEN and THEILADE, 770

TIDBALL, C. S. See CASSIDY and TIDBALL, 685

TRINKAUS, J. P., and LENTZ, THOMAS L. Surface specializations of *Fundulus* cells and their relation to cell movements during gastrulation, 139

—. See LENTZ and TRINKAUS, 121

V

VANDERBERG, JEROME, and RHODIN, JOHANNES. Differentiation of nuclear and cytoplasmic fine structure during sporogonic development of *Plasmodium berghei*, C7

VAN ITERSON, WOUTERA, HOENIGER, JUDITH F. M., and NIJMAN VAN ZANTEN, EVA. A "microtubule" in a bacterium, 1

VAUGHN, JAMES E. See PETERS and VAUGHN, 113

W

WATANABE, I., and OKADA, S. Effects of temperature on growth rate of cultured mammalian cells (L5178Y), 309

WEIBEL, EWALD R. See KISTLER, CALDWELL, and WEIBEL, 605

WEINBAUM, GEORGE. See FISCHMAN and WEINBAUM, 524

WEISBERGER, AUSTIN S. See SCHOENBERG, MOORE, and WEISBERGER, 401

WEISSMAN, A. See ANDERSON, WEISSMAN, and ELLIS, 11

WESSELLS, NORMAN K. See KALLMAN, EVANS, and WESSELLS, 231, 236

WESSELLS, NORMAN K. See KALLMAN and WESSELLS, 227
WIDNELL, C. C., HAMILTON, T. H., and TATA, J. R. The isolation of enzymically active nuclei from the rat heart and uterus, 766
WILKES, ELAINA. See SISKEN, WILKES, DONNELLY, and KAKEFUDA, 212

Z

ZEIDENBERG, PHILLIP, ORRENIUS, STEN, and ERNSTER, LARS. Increase in levels of glucuronylating enzymes and associated rise in activities of mitochondrial oxidative enzymes upon phenobarbital administration in the rat, 528

INDEX TO SUBJECTS

A

Acetylcholinesterase activity, of nodal and internodal regions of myelinated nerve fibers, of frog, studied by histochemical and microgasometric techniques, 577

—, distribution of at motor end plates of vertebrate twitch muscle, EM radioautography as quantitative tool in enzyme cytochemistry, 379

Acid hydrolases, influence of various treatments of animals on distribution of, in rat lymphoid tissues, analysis of fractions, association with lysosomes, biochemical study, 349

— hydrolases, intracellular distribution of, in rat lymphoid tissues, analysis of fractions to characterize particles containing enzymes, association with lysosomes, biochemical study, 339

— mucopolysaccharides, localization of, in Golgi complex of goblet cells, of intestinal ileum, of rat, EM cytochemical study, 760

— phosphatase associated with Golgi apparatus, of parenchymal and von Kupffer cells, of human liver, EM cytochemical study, 216

Aerobic (obligately) and facultatively anaerobic yeasts, structural differences of, EM study, 519

Alkaline phosphatase, spatial and temporal differentiation of on intestinal villi, of mouse, cytochemical study, C1

Alveolar and capillary lining cells, of rat lungs, development of fine structural damage to in oxygen poisoning, EM and morphometric study, 605

Anaerobic (facultatively) and obligately aerobic yeasts, structural differences of, EM study, 519

Anchor filaments, extracellular bundles of, in feather germs and skin of embryonic chick, EM study, 236

Annulus associated with nuclear pore, in oocytes of newt and frog and starfish, octagonal shape of pore, of isolated nuclear envelopes, studied by negative staining and EM, 391

Antibody-producing cells, potential, differentiation and functional expression of in presence of chloramphenicol, in rabbit spleen, studied by antibody assays, electrophoresis, immunofluorescence, histologic, and EM examination, 401

Astrocytes and axons, maturing, of rat optic nerve, changes in population of microtubules and filaments in, EM study, 113

Axons and astrocytes, maturing, of rat optic nerve, changes in population of microtubules and filaments in, EM study, 113

B

Bacterium, *Escherichia coli* B, formation of multiple layers of membrane-like structures in when grown in enriched medium, EM and biochemical study, 524

Bacterium, *Proteus mirabilis*, "microtubule" in, EM study, 1

Basement membrane, normal behavior of basal cells of epidermis in absence of, in chick embryo, in vitro, EM study, 231

Blastoderm and periblast, analysis of in epiboly of *Fundulus*, surface specializations of cells and their relation to cell movements during gastrulation, studied by time-lapse cinemicrography and EM, 139

Blastomeres (cleavage, blastula, gastrula) and periblast, of *Fundulus*, early cytodifferentiation, fine structure of as related to cell organelles and movement of nutrients and activity of cell surface, EM study, 121

Bovine, heart, changes in fine structure of isolated mitochondria and submitochondrial vesicles following removal and restoration of lipid, EM and biochemical study, 193

C

Capillary and alveolar lining cells, of rat lungs, development of fine structural damage to in oxygen poisoning, EM and morphometric study, 605

Capsule, of spermatozoon, of decapod crustaceans, presence of extranuclear basic proteins in, cytochemical study, 547

Carbohydrate-rich coat, at cell surface in rat tissues, characterization of, light and EM cytochemical study, 27

Cartilage matrix, of tibia, of chick embryo, identification and distribution of protein-polysaccharide in, EM histochemical and biochemical study, 365

Cations, divalent, role of in fluid transport across epithelial membranes, cellular mechanism of intestinal permeability alterations produced by chelation depletion, in rat small intestine, physiological and EM study, 685

Cell differentiation during cleavage and blastula and gastrula stages, of *Fundulus*, fine structure of blastomeres and periblast as related to cell organelles and movement of nutrients and activity of cell surface, EM study, 121

— differentiation during spermiogenesis, in *Lumbricus terrestris*, structural changes in spermatids in seminal vesicles and receptacles, EM study, 11

— membrane, of human erythrocytes, transient "holes" in during hypotonic hemolysis, stable "holes" after lysis by saponin and lysolecithin, analysis of membrane disruption and repair and of their time course, ultrastructure of defects, 55

Cell proliferation and differentiation, generation cycle of germinative cells in external granular layer of cortex of postnatal mouse cerebellum, quantitative analysis, radioautographic study, 277
— surface specializations and their relation to cell movements during gastrulation, in *Fundulus*, analysis of blastoderm and periblast in epiboly, studied by time-lapse cinemicrography and EM, 139
Cells, mammalian, cultured, effects of temperature on growth rate of, analysis of four stages of cell life cycle, radioautographic study, 309
—, mammalian, cultured, method of isolation of mitotic apparatus from, 212
—, mammalian, of various tissues of rat, observations on carbohydrate-rich coat at cell surface, light and EM cytochemical study, 27
—, parenchymal and von Kupffer, of human liver, detection of acid phosphatase associated with Golgi apparatus of, EM cytochemical study, 216
—, potential antibody-producing, differentiation and functional expression of in presence of chloramphenicol, in rabbit spleen, studied by antibody assays, electrophoresis, immunofluorescence, histologic and EM examination, 401
—, tumor (Ehrlich ascites and sarcoma 180), isolated, protein uptake by, stimulations due to pH and hypertonicity and polycations or dehydration and their relation to enhanced penetration of infectious RNA, biochemical study, 737
—, unadapted, in vitro, preparation from human serum of alpha-one protein which induces immediate growth of, biochemical study, 297
Cellular development, nucleocytoplasmic relationships during, differentiation of nuclear and cytoplasmic fine structure in sporogonic stages of *Plasmodium berghei*, EM and histochemical study, C7
Cerebellum, postnatal, of mouse, generation cycle of germinative cells in external granular layer of cortex of, quantitative analysis of cell proliferation and differentiation, radioautographic study, 277
Cerebral cortex, of guinea pig, isolation of cell nuclei from and their assortment on morphological basis, biochemical and EM study, 649
Chelation depletion, cellular mechanism of intestinal permeability alterations produced by, in rat small intestine, role of divalent cations in fluid transport across epithelial membranes, physiological and EM study, 685
Chick, embryo, extracellular bundles of anchor filaments in feather germs and skin, EM study, 236
—, embryo, formation and growth of myofibrils in skeletal muscle of, EM study, 557
—, embryo, identification and distribution of protein-polysaccharide in cartilage matrix of tibia, EM histochemical and biochemical study, 365
—, embryo, normal behavior of basal cells of epidermis in absence of basement membrane, in vitro, EM study, 231
—, explanted embryonic tissues and organs, circumfusion system for multipurpose culture chambers, introduction to mechanics, techniques, and basic results of 12-chamber (in vitro) closed circulatory system, 89
Chloramphenicol, differentiation and functional expression of potential antibody-producing cells in presence of, in rabbit spleen, studied by antibody assays, electrophoresis, immunofluorescence, histologic and EM examination, 401
Chloroplasts, isolated, of spinach, evidence for location and amount of ion (barium, calcium, strontium) accumulation on lamellae of, EM study, 209
Chromosome (X) translocation, in *Drosophila melanogaster*, spermiogenesis in wild type and in male sterility mutant, determination of fine structural and cytochemical anomalies associated with genetic lesion, 663
Chromosomes, mitotic, structure of after negative staining, in monolayer cultures of heart fibroblasts, of newt, method for bursting single cells on fluid surface, EM study, 585
Circadian phase relationships of thymidine-^{3}H uptake and labeled nuclei and grain counts and cell division rate, in rat corneal epithelium, studied by scintillation counter and radioautographic techniques, 677
Circumfusion system for multipurpose culture chambers, introduction to mechanics, techniques, and basic results of 12-chamber (in vitro) closed circulatory system, 89
Coat, carbohydrate-rich, at cell surface in rat tissues, characterization of, light and EM cytochemical study, 27
Corneal epithelium, of rat, circadian phase relationships of thymidine-^{3}H uptake and labeled nuclei and grain counts and cell division rate in, studied by scintillation counter and radioautographic techniques, 677
Crustaceans, decapod, presence of extranuclear basic proteins in capsule of spermatozoon of, cytochemical study, 547
Culture chambers, multipurpose, circumfusion system for, introduction to mechanics, techniques, and basic results of 12-chamber (in vitro) closed circulatory system, 89
Cultures, long-term organized, of dorsal root ganglia, of rat, light and EM study, 439
—, of human cells, preparation from human serum of alpha-one protein which induces immediate growth of unadapted cells in vitro, biochemical study, 297
—, organotypic, of dorsal root ganglia, of rat, cytological analysis of following X-irradiation in vitro, changes in neurons and satellite cells, light and EM study, 467
—, organotypic, of dorsal root ganglia, of rat, cytological analysis of following X-irradiation in vitro, changes in Schwann cells and myelin sheaths and nerve fibers, light and EM study, 497

D

Digestive vacuoles, use of formaldehyde-treated albumin-^{131}I in analysis of, some properties of

these particles, from mouse liver, biochemical study, 699
DNA and histone, simultaneous syntheses of, in macronuclei of synchronously dividing *Tetrahymena pyriformis*, biochemical study, 709
— synthesis, in rat corneal epithelium, circadian phase relationships of thymidine-^{3}H uptake and labeled nuclei and grain counts and cell division rate, studied by scintillation counter and radioautographic techniques, 677

E

Eggs, of sea urchin, identification of major soluble protein component (22S) of glycol-isolated mitotic apparatus, biochemical and EM study, 243
—, of sea urchin, physical and chemical characterization of 22S protein component and its subunits, of glycol-isolated mitotic apparatus, biochemical and EM study, 255
Electron-transport system associated with outer membrane of mitochondria, of rat liver, biochemical and EM study, 415
Embryo, of chick, extracellular bundles of anchor filaments in feather germs and skin, EM study, 236
—, of chick, formation and growth of myofibrils in skeletal muscle of, EM study, 557
—, of chick, identification and distribution of protein-polysaccharide in cartilage matrix of tibia, EM histochemical and biochemical study, 365
—, of chick, normal behavior of basal cells of epidermis in absence of basement membrane, in vitro, EM study, 231
—, of mouse, periodic repeat units in tonofilaments in cultured epithelial cells of, EM study, 227
Embryonic tissues and organs, explanted, of chick, circumfusion system for multipurpose culture chambers, introduction to mechanics, techniques, and basic results of 12-chamber (in vitro) closed circulatory system, 89
Endings, motor nerve, structure and arrangement of, in twitch muscle fibers, of sea horse *Hippocampus*, EM study, 751
End plates, motor, distribution of acetylcholinesterase at, of vertebrate twitch muscle, EM radioautography as quantitative tool in enzyme cytochemistry, 379
Enzymatic marker, for outer membrane of mitochondria, submitochondrial localization of monoamine oxidase, of rat liver, biochemical and EM study, 719
Epiboly, analysis of blastoderm and periblast in, of *Fundulus*, surface specializations of cells and their relation to cell movements during gastrulation, studied by time-lapse cinemicrography and EM, 139
Epidermis, of chick embryo, normal behavior of basal cells of in absence of basement membrane, in vitro, EM study, 231
Epithelial cells, cultured, of embryonic mouse, periodic repeat units in tonofilaments in, EM study, 227
— cells, of chick embryonic epidermis, normal behavior of basal cells in absence of basement membrane, in vitro, EM study, 231
Epithelial-like cells, structural identification of in outgrowths from explants of oral mucosa, of guinea pig, EM study, 770
Epithelium, corneal, of rat, circadian phase relationships of thymidine-^{3}H uptake and labeled nuclei and grain counts and cell division rate in, studied by scintillation counter and radioautographic techniques, 677
Erythrocytes, of human, transient "holes" in cell membrane during hypotonic hemolysis, stable "holes" after lysis by saponin and lysolecithin, analysis of membrane disruption and repair and of their time course, ultrastructure of defects, 55
Estrogen-primed uterus, of rat, fine structural changes in smooth muscle cells and fibroblasts of, EM study, 155

F

Feather germs and skin, of embryonic chick, extracellular bundles of anchor filaments in, EM study, 236
Fibers, of striated muscle, of lamprey, structural features of T system and sarcolemma in, EM study, 219
—, of striated muscle, of tarsonemid mite larvae, observations of contraction of, by polarized light microscopy, 169
Fibroblasts, in monolayer cultures, of newt heart, structure of mitotic chromosomes of after negative staining, EM study, 585
— and smooth muscle cells, in rat uterus, fine structural changes of in response to estrogen, EM study, 155
Fibroin, silk, of moth *Bombyx mori*, fine structure of and its relationship to crystallites revealed by X-ray diffraction, EM study, 289
Filaments, anchor, extracellular bundles of, in feather germs and skin of embryonic chick, EM study, 236
— and microtubules, changes in population of in maturing axons and astrocytes, of rat optic nerve, EM study, 113
Fish, *Fundulus heteroclitus*, cytodifferentiation during cleavage and blastula and gastrula stages of, fine structure of blastomeres and periblast as related to cell organelles and movement of nutrients and activity of cell surface, EM study, 121
—, *Fundulus heteroclitus*, surface specializations of cells and their relation to cell movements during gastrulation, analysis of blastoderm and periblast in epiboly, studied by time-lapse cinemicrography and EM, 139
—, sea horse *Hippocampus hudsonius*, structure and arrangement of motor nerve endings of twitch muscle fibers in, EM study, 751
Fixation for electron microscopy, loss of lipid from guinea pig lung during, studied by radioactivity assay of lipid fractions, 757
Fractions, subcellular, filtration procedure for preparation of representative samples of particle suspensions, of rat liver, EM study, 181
Frog, myelinated nerve fibers, cholinesterase activity

of nodal and internodal regions of, studied by histochemical and microgasometric techniques, 577

G

Ganglia, dorsal root, of rat, cytological analysis of organotypic cultures of following X-irradiation in vitro, changes in neurons and satellite cells, light and EM study, 467
—, dorsal root, of rat, cytological analysis of organotypic cultures of following X-irradiation in vitro, changes in Schwann cells and myelin sheaths and nerve fibers, light and EM study, 497
—, dorsal root, of rat, light and EM study of long-term organized cultures of, 439
Genetic lesion, determination of fine structural and cytochemical anomalies associated with, spermiogenesis in wild type and in male sterility mutant *Drosophila melanogaster*, 663
Glucuronylating enzymes, increase in, and associated rise in mitochondrial oxidative enzymes, in rat liver upon phenobarbital administration, biochemical study, 528
Goblet cells, in intestinal ileum, of rat, localization of acid mucopolysaccharides in Golgi complex of, EM cytochemical study, 760
Golgi apparatus, of parenchymal and von Kupffer cells, of human liver, detection of acid phosphatase associated with, EM cytochemical study, 216
— complex, of goblet cells of intestinal ileum, of rat, localization of acid mucopolysaccharides in, EM cytochemical study, 760
Growth-promoting alpha-one protein, inducer of immediate growth of unadapted cells in vitro, preparation of from human serum, biochemical study, 297
Growth rate, of cultured mammalian cells, effects of temperature on, analysis of four stages of cell life cycle, radioautographic study, 309
Guinea pig, cerebral cortex, isolation of cell nuclei from and their assortment on morphological basis, biochemical and EM study, 649
— pig, lung, loss of lipid from during fixation for electron microscopy, studied by radioactivity assay of lipid fractions, 757
— pig, palate, structural identification of epithelial-like cells in outgrowths from explants of oral mucosa of, EM study, 770
— pig, polymorphonuclear leukocytes and mononuclear cells, observations on effect of surface-active agents on metabolism and morphology of, biochemical and EM study, 629

H

Heart, bovine, changes in fine structure of isolated mitochondria and submitochondrial vesicles following removal and restoration of lipid, EM and biochemical study, 193
— and uterus, of rat, isolation of enzymically active nuclei from, biochemical study, 766
Hemolysis, of human erythrocytes, transient "holes" in cell membrane during hypotonic treatment, stable "holes" after lysis by saponin and lysolecithin, analysis of membrane disruption and repair and of their time course, ultrastructure of defects, 55
Histone and DNA, simultaneous syntheses of, in macronuclei of synchronously dividing *Tetrahymena pyriformis*, biochemical study, 709
Human, cell cultures, preparation from human serum of alpha-one protein which induces immediate growth of unadapted cells in vitro, biochemical study, 297
—, erythrocytes, transient "holes" in cell membrane during hypotonic hemolysis, stable "holes" after lysis by saponin and lysolecithin, analysis of membrane disruption and repair and of their time course, ultrastructure of defects, 55
—, liver, detection of acid phosphatase associated with Golgi apparatus of parenchymal and von Kupffer cells in, EM cytochemical study, 216
Hydrolases, acid, influence of various treatments of animals on distribution of, in rat lymphoid tissues, analysis of fractions, association with lysosomes, biochemical study, 349
—, acid, intracellular distribution of, in rat lymphoid tissues, analysis of fractions to characterize particles containing enzymes, association with lysosomes, biochemical study, 339
Hydrolytic activities, in whole homogenates of lymphoid tissues, of rat, association of enzymes with lysosomes, biochemical study, 325

I

Inclusions, secretory, in salivary gland cells, of *Drosophila* larvae, ultrastructure of, EM study, 531
Insect, cockroach *Leucophaea maderae*, sarcoplasmic reticulum and its association with T system in femoral muscle, EM study, 535
—, *Drosophila melanogaster*, spermiogenesis in wild type and in male sterility mutant, determination of fine structural and cytochemical anomalies associated with genetic lesion, 663
—, *Drosophila melanogaster*, ultrastructure of secretory inclusions in salivary gland cells of larvae, EM study, 531
—, moth *Bombyx mori*, fine structure of cocoon filamentous silk fibroin and its relationship to crystallites revealed by X-ray diffraction, EM study, 289
—, tarsonemid mite, contraction of striated muscle in larvae, observed by polarized light microscopy, 169
Intestine, of mouse, spatial and temporal differentiation of alkaline phosphatase on villi of, cytochemical study, C1
—, of rat, localization of acid mucopolysaccharides in Golgi complex of goblet cells of ileum, EM cytochemical study, 760
—, small, of rat, cellular mechanism of intestinal permeability alterations produced by chelation depletion, role of divalent cations in fluid transport across epithelial membranes, physiological and EM study, 685
Ion (barium, calcium, strontium) accumulation, lo

cation and amount, on lamellae of chloroplasts isolated from spinach, EM study, 209

L

Lamellae, of chloroplasts isolated from spinach, evidence for location and amount of ion (barium, calcium, strontium) accumulation on, EM study, 209
Lamprey, body striated muscle (myotome), structural features of T system and sarcolemma in fibers of, EM study, 219
Leaves, of sugar beet *Beta vulgaris*, relation of beet yellows virus to phloem and to movement in sieve tube in, EM study, 71
Leukocytes, polymorphonuclear, and mononuclear cells, of guinea pig, observations on effect of surface-active agents on metabolism and morphology of, biochemical and EM study, 629
Lipid-depleted mitochondria, isolated from bovine heart, fine structure of, EM and biochemical study, 193
Lipid, loss of from guinea pig lung during fixation for electron microscopy, studied by radioactivity assay of lipid fractions, 757
Liver cells, parenchymal and von Kupffer, of human, detection of acid phosphatase associated with Golgi apparatus of, EM cytochemical study, 216
—, of mouse, use of formaldehyde-treated albumin-^{131}I in analysis of digestive vacuoles and some properties of these particles from, biochemical study, 699
—, of rat, electron-transport system associated with outer membrane of mitochondria, biochemical and EM study, 415
—, of rat, filtration procedure for preparation of representative samples of particle suspensions, EM study of subcellular fractions, 181
—, of rat, increase in glucuronylating enzymes and associated rise in mitochondrial oxidative enzymes upon phenobarbital administration, biochemical study, 528
—, of rat, submitochondrial localization of monoamine oxidase, enzymatic marker for outer membrane of mitochondria of, biochemical and EM study, 719
Lung, of guinea pig, loss of lipid from during fixation for electron microscopy, studied by radioactivity assay of lipid fractions, 757
—, of rat, development of fine structural damage to alveolar and capillary lining cells in oxygen poisoning, EM and morphometric study, 605
Lymphoid tissues, of rat, lysosomes in, influence of various treatments of animals on distribution of acid hydrolases, analysis of fractions, biochemical study, 349
— tissues, of rat, lysosomes in, intracellular distribution of acid hydrolases, analysis of fractions to characterize particles containing enzymes, biochemical study, 339
— tissues, of rat, lysosomes in, measurement of hydrolytic activities in whole homogenates, biochemical study, 325
Lysosomes, in lymphoid tissues, of rat, influence of various treatments of animals on distribution of acid hydrolases, analysis of fractions, biochemical study, 349
Lysosomes, in lymphoid tissues, of rat, intracellular distribution of acid hydrolases, analysis of fractions to characterize particles containing enzymes, biochemical study, 339
—, in lymphoid tissues, of rat, measurement of hydrolytic activities in whole homogenates, biochemical study, 325

M

Macronuclei, of *Tetrahymena pyriformis*, simultaneous syntheses of histone and DNA in, of synchronously dividing cells, biochemical study, 709
Malarial parasite, *Plasmodium berghei*, nucleocytoplasmic relationships during cellular development, differentiation of nuclear and cytoplasmic fine structure in sporogonic stages, EM and histochemical studies, C7
Mammalian cells, cultured, effects of temperature on growth rate of, analysis of four stages of cell life cycle, radioautographic study, 309
— cells, cultured, method of isolation of mitotic apparatus from, 212
Membrane, basement, normal behavior of basal cells of epidermis in absence of, in chick embryo, in vitro, EM study, 231
—, cell, changes in, respiration and glucose oxidation, observations on effect of surface-active agents on polymorphonuclear leukocytes and mononuclear cells, of guinea pig, biochemical and EM study, 629
—, cell, of human erythrocytes, transient "holes" in during hypotonic hemolysis, stable "holes" after lysis by saponin and lysolecithin, analysis of membrane disruption and repair and of their time course, ultrastructure of defects, 55
—, epithelial, role of divalent cations in fluid transport across, cellular mechanism of intestinal permeability alterations produced by chelation depletion, in rat small intestine, physiological and EM study, 685
—, outer mitochondrial, localization of monoamine oxidase, enzymatic marker for, of rat liver, biochemical and EM study, 719
—, outer, of mitochondria, of rat liver, electron-transport system associated with, biochemical and EM study, 415
— systems and mitochondria, structural differences of, in obligately aerobic and facultatively anaerobic yeasts, EM study, 519
Membrane-like structures, formation of multiple layers of, in *E. coli* B when grown in enriched medium, EM and biochemical study, 524
Membranes, of mitochondria and submitochondrial vesicles isolated from bovine heart, changes in fine structure of following removal and restoration of lipid, EM and biochemical study, 193
Microfibrils in silk fibroin, of moth *Bombyx mori*, fine structure of and its relationship to crystallites revealed by X-ray diffraction, EM study, 289
Microtubule, in bacterium *Proteus mirabilis*, EM study, 1

Microtubules and filaments, changes in population of in maturing axons and astrocytes, of rat optic nerve, EM study, 113
Mitochondria and membrane systems, structural differences of, in obligately aerobic and facultatively anaerobic yeasts, EM study, 519
—, of rat liver, electron-transport system associated with outer membrane of, biochemical and EM study, 415
—, of rat liver, submitochondrial localization of monoamine oxidase, enzymatic marker for outer membrane of, biochemical and EM study, 719
— and submitochondrial vesicles, isolated from bovine heart, changes in fine structure of following removal and restoration of lipid, EM and biochemical study, 193
Mitochondrial oxidative enzymes, rise in, and associated increase in glucuronylating enzymes, in rat liver upon phenobarbital administration, biochemical study, 528
Mitotic apparatus, glycol-isolated, of sea urchin eggs, identification of major soluble protein component (22S) of, biochemical and EM study, 243
— apparatus, glycol-isolated, of sea urchin eggs, physical and chemical characterization of 22S protein component and its subunits, biochemical and EM study, 255
— apparatus, method of isolation of from mammalian cells in culture, 212
— chromosomes, structure of after negative staining, in monolayer cultures of heart fibroblasts, of newt, method for bursting single cells on fluid surface, EM study, 585
Monoamine oxidase, submitochondrial localization of, enzymatic marker for outer membrane of mitochondria, of rat liver, biochemical and EM study, 719
Mouse, embryo, periodic repeat units in tonofilaments in cultured epithelial cells of, EM study, 227
—, intestine, spatial and temporal differentiation of alkaline phosphatase on villi of, cytochemical study, C1
—, liver, use of formaldehyde-treated albumin-^{131}I in analysis of digestive vacuoles and some properties of these particles from, biochemical study, 699
—, postnatal cerebellum, generation cycle of germinative cells in external granular layer of cortex of, quantitative analysis of cell proliferation and differentiation, radioautographic study, 277
—, twitch muscles, distribution of acetylcholinesterase at motor end plates of, EM radioautography as quantitative tool in enzyme cytochemistry, 379
Mucopolysaccharides, acid, localization of, in Golgi complex of goblet cells, of rat intestinal ileum, EM cytochemical study, 760
Mucosa, oral, of guinea pig, structural identification of epithelial-like cells in outgrowths from explants of, EM study, 770
Muscle, femoral, of cockroach, sarcoplasmic reticulum and its association with T system in, EM study, 535
— fibers, twitch, of sea horse *Hippocampus*, structure and arrangement of motor nerve endings of, EM study, 751
Muscle, skeletal, of chick embryo, formation and growth of myofibrils in, EM study, 557
— (smooth) cells and fibroblasts, in rat uterus, fine structural changes of in response to estrogen, EM study, 155
—, striated, of lamprey, structural features of T system and sarcolemma in fibers of, EM study, 219
—, striated, of tarsonemid mite larvae, observations on contraction of, by polarized light microscopy, 169
—, twitch, of mouse, distribution of acetylcholinesterase at motor end plates of, EM radioautography as quantitative tool in enzyme cytochemistry, 379
Myelin sheaths and Schwann cells and nerve fibers, changes in, cytological analysis of organotypic cultures of rat dorsal root ganglia following X-irradiation in vitro, light and EM study, 497
Myelinated nerve fibers, of frog, cholinesterase activity of nodal and internodal regions of, studied by histochemical and microgasometric techniques, 577
Myofibril formation and growth, in skeletal muscle of embryonic chick, EM study, 557

N

Nerve endings, motor, structure and arrangement of, in twitch muscle fibers, of sea horse *Hippocampus*, EM study, 751
— fibers, myelinated, of frog, cholinesterase activity of nodal and internodal regions of, studied by histochemical and microgasometric techniques, 577
— fibers and Schwann cells and myelin sheaths, changes in, cytologic analysis of organotypic cultures of rat dorsal root ganglia following X-irradiation in vitro, light and EM study, 497
—, optic, of rat, changes in population of microtubules and filaments in maturing axons and astrocytes of, EM study, 113
Nervous system, central, quantitative analysis of cell proliferation and differentiation in by cumulative labeling with thymidine-^{3}H, generation cycle of germinative cells in external granular layer of cortex of postnatal mouse cerebellum, radioautographic study, 277
— system, of guinea pig, isolation of cell nuclei from cerebral cortex and their assortment on morphological basis, biochemical and EM study, 649
— system, of rat, light and EM study of long-term organized cultures of dorsal root ganglia, 439
Neurons and satellite cells, changes in, cytological analysis of organotypic cultures of rat dorsal root ganglia following X-irradiation in vitro, light and EM study, 467
Newt, monolayer cultures of heart fibroblasts, structure of mitotic chromosomes after negative staining, method for bursting single cells on fluid surface, EM study, 585
Nuclear pores, in oocytes of newt and frog and starfish, demonstration of octagonal shape of, in iso-

lated nuclear envelopes, studied by negative staining and EM, 391
Nuclei, enzymically active, isolation of from heart and uterus, of rat, biochemical study, 766
—, of cerebral cortex, of guinea pig, isolation of and their assortment on morphological basis, biochemical and EM study, 649
Nucleocytoplasmic relationships during cellular development, differentiation of nuclear and cytoplasmic fine structure in sporogonic stages of *Plasmodium berghei*, EM and histochemical study, C7

O

Oocytes, of newt and frog and starfish, demonstration of octagonal pores in isolated nuclear envelopes, studied by negative staining and EM, 391
Organotypic cultures, long-term organized, of dorsal root ganglia, of rat, light and EM study of, 439
Oxidative enzymes, mitochondrial, rise in, and associated increase in glucuronylating enzymes, in rat liver upon phenobarbital administration, biochemical study, 528
Oxygen poisoning, of rat, development of fine structural damage to alveolar and capillary lining cells of lungs in, EM and morphometric study, 605

P

Palate, of guinea pig, structural identification of epithelial-like cells in outgrowths from explants of oral mucosa of, EM study, 770
Particle suspensions, filtration procedure for preparation of representative samples of, EM study of subcellular fractions, 181
Periblast and blastoderm, analysis of in epiboly, of *Fundulus*, surface specializations of cells and their relation to cell movements during gastrulation, studied by time-lapse cinemicrography and EM, 139
— and blastomeres (cleavage, blastula, gastrula), of *Fundulus*, early cytodifferentiation, fine structure of as related to cell organelles and movement of nutrients and activity of cell surface, EM study, 121
Periodicity in tonofilaments, in cultured epithelial cells of embryonic mouse, EM study, 227
Phenobarbital administration, increase in glucuronylating enzymes and associated rise in mitochondrial oxidative enzymes in rat liver following, biochemical study, 528
Phloem, of leaves of sugar beet *Beta vulgaris*, relation of beet yellows virus to parenchymal cells and sieve elements and to movement in sieve tube, EM study, 71
Plant, spinach, evidence for location and amount of ion (barium, calcium, strontium) accumulation on lamellae of chloroplasts isolated from, EM study, 209
—, sugar beet *Beta vulgaris*, relation of beet yellows virus to phloem and to movement in sieve tube in leaves of, EM study, 71
Pores, nuclear, in oocytes of newt and frog and starfish, demonstration of octagonal shape of, in isolated nuclear envelopes, studied by negative staining and EM, 391
Protein, alpha-one, preparation of from human serum, inducer of immediate growth of unadapted cells in vitro, biochemical study, 297
— component (22S) and its subunits, of glycol-isolated mitotic apparatus, of sea urchin eggs, physical and chemical characterization of, biochemical and EM study, 255
— component (22S), major soluble, of glycol-isolated mitotic apparatus, of sea urchin eggs, identification of, biochemical and EM study, 243
— uptake by isolated tumor cells (Ehrlich ascites and Sarcoma 180), stimulations due to pH and hypertonicity and polycations or dehydration and their relation to enhanced penetration of infectious RNA, biochemical study, 737
Protein-polysaccharide, identification and distribution of in cartilage matrix of chick embryonic tibia, EM histochemical and biochemical study, 365
Proteins, basic, presence of in capsule of spermatozoon, of decapod crustaceans, cytochemical study, 547
Protozoan, *Plasmodium berghei*, differentiation of nuclear and cytoplasmic fine structure in sporogonic stages of, nucleocytoplasmic relationships during cellular development, EM and histochemical study, C7
—, *Tetrahymena pyriformis*, simultaneous syntheses of histone and DNA in macronuclei of synchronously dividing cells, biochemical study, 709

Q

Quantitative analysis of cell proliferation and differentiation in central nervous system by cumulative labeling with thymidine-H^3, generation cycle of germinative cells in external granular layer of cortex of postnatal mouse cerebellum, radioautographic study, 277
— analysis of impairment of pulmonary function, in rat, development of fine structural damage to alveolar and capillary lining cells of lungs in oxygen poisoning, EM and morphometric study, 605
— assay of hydrolytic activities, in whole homogenates of rat lymphoid tissues, association of enzymes with lysosomes, biochemical study, 325
— evaluation of distribution of acetylcholinesterase at motor end plates of vertebrate twitch muscle, EM radioautography as tool in enzyme cytochemistry, 379

R

Rabbit, spleen, differentiation and functional expression of potential antibody-producing cells in presence of chloramphenicol, studied by antibody assays, electrophoresis, immunofluorescence, histologic and EM examination, 401
Radioactive label, albumin-^{131}I, protein uptake by isolated tumor cells (Ehrlich ascites and sarcoma 180), stimulations due to pH and hypertonicity and their relation to enhanced penetration of infectious RNA, biochemical study, 737

Radioactive label, ATP-^{3}H, isolation of enzymically active nuclei from heart and uterus, of rat, biochemical study, 766
— label, choline-methyl-^{3}H-chloride, loss of lipid during fixation for electron microscopy, studied by radioactivity assay of lipid fractions, 757
— label, dextran-^{14}C, ^{51}Cr-labeled erythrocytes and cortisol, influence of various treatments of animals on distribution of acid hydrolases, in rat lymphoid tissues, association of lysosomes with enzymes, analysis of fractions, biochemical study, 349
— label, diisopropylfluorophosphate-^{3}H, distribution of acetylcholinesterase at motor end plates of vertebrate twitch muscle, EM radioautography as quantitative tool in enzyme cytochemistry, 379
— label, formaldehyde-treated albumin-^{131}I, use of in analysis of digestive vacuoles and some properties of these particles, biochemical study, 699
— label, glucose-*l*-^{14}C, inulin-^{14}C, $^{32}P_i$, observations on effect of surface-active agents on metabolism and morphology of polymorphonuclear leukocytes and mononuclear cells, of guinea pig, biochemical and EM study, 629
— label, NADH-^{3}H, electron-transport system associated with the outer membrane of mitochondria, of rat liver, biochemical and EM study, 415
— label, $Na_2{}^{35}SO_4$, identification and distribution of protein-polysaccharide in cartilage matrix of chick embryonic tibia, EM histochemical and biochemical study, 365
— label, thymidine-^{3}H, circadian phase relationships of isotope uptake and labeled nuclei and grain counts and cell division rate, studied by scintillation counter and radioautographic techniques, 677
— label, thymidine-^{3}H, effects of temperature on growth rate of cultured mammalian cells, analysis of four stages of cell life cycle, radioautographic study, 309
— label, thymidine-^{3}H, quantitative analysis of cell proliferation and differentiation in central nervous system, generation cycle of germinative cells in external granular layer of postnatal mouse cerebellum, radioautographic study, 277
Rat, cells of various tissues, observations on carbohydrate-rich coat at cell surface, light and EM cytochemical study, 27
—, corneal epithelium, circadian phase relationships of thymidine-^{3}H uptake and labeled nuclei and grain counts and cell division rate in, studied by scintillation counter and radioautographic techniques, 677
—, dorsal root ganglia, cytological analysis of following X-irradiation in vitro, changes in neurons and satellite cells, light and EM study, 467
—, dorsal root ganglia, cytological analysis of organotypic cultures of following X-irradiation in vitro, changes in Schwann cells and myelin sheaths and nerve fibers, light and EM study, 497
—, dorsal root ganglia, light and EM study of long-term organized cultures of, 439
—, heart and uterus, isolation of enzymically active nuclei from, biochemical study, 766
—, intestine, localization of acid mucopolysaccharides in Golgi complex of goblet cells of ileum, EM cytochemical study, 760
Rat, liver, electron-transport system associated with outer membrane of mitochondria, biochemical and EM study, 415
—, liver, filtration procedure for preparation of representative samples of particle suspensions, EM study of subcellular fractions, 181
—, liver, increase in glucuronylating enzymes and associated rise in mitochondrial oxidative enzymes upon phenobarbital administration, biochemical study, 528
—, liver, submitochondrial localization of monoamine oxidase, enzymatic marker for outer membrane of mitochondria of, biochemical and EM study, 719
—, lung, development of fine structural damage to alveolar and capillary lining cells in oxygen poisoning, EM and morphometric study, 605
—, lymphoid tissues, lysosomes in, influence of various treatments of animals on distribution of acid hydrolases, analysis of fractions, biochemical study, 349
—, lymphoid tissues, lysosomes in, intracellular distribution of acid hydrolases, analysis of fractions to characterize particles containing enzymes, biochemical study, 339
—, lymphoid tissues, lysosomes in, measurement of hydrolytic activities in whole homogenates, biochemical study, 325
—, optic nerve, changes in population of microtubules and filaments in maturing axons and astrocytes of, EM study, 113
—, small intestine, cellular mechanism of intestinal permeability alterations produced by chelation depletion, role of divalent cations in fluid transport across epithelial membranes, physiological and EM study, 685
—, uterus, fine structural changes in smooth muscle cells and fibroblasts of in response to estrogen, EM study, 155
Respiration and glucose oxidation, cell membrane changes, observations on effect of surface-active agents on metabolism and morphology of polymorphonuclear leukocytes and mononuclear cells, of guinea pig, biochemical and EM study, 629
RNA, infectious, enhanced penetration of, protein uptake by isolated tumor cells (Ehrlich ascites and Sarcoma 180), stimulations due to pH and hypertonicity and polycations or dehydration and their relation to, biochemical study, 737

S

Salivary gland, of *Drosophila* larvae, ultrastructure of secretory inclusions in cells of, EM study, 531
Sarcolemma and T system, structural features of, in striated muscle of lamprey, EM study, 219
Sarcomeres, individual, of striated muscle of tarsonemid mite larvae, observations of contraction of, by polarized light microscopy, 169
Sarcoplasmic reticulum and its association with T system, in cockroach femoral muscle, EM study, 535
Satellite cells and neurons, changes in, cytological

analysis of organotypic cultures of rat dorsal root ganglia following X-irradiation in vitro, light and EM study, 467
Schwann cells and myelin sheaths and nerve fibers, changes in, cytological analysis of organotypic cultures of rat dorsal root ganglia following X-irradiation in vitro, light and EM study, 497
Sea urchin, eggs, identification of major soluble protein component (22S) of glycol-isolated mitotic apparatus, biochemical and EM study, 243
— urchin, eggs, physical and chemical characterization of 22S protein component and its subunits, of glycol-isolated mitotic apparatus, biochemical and EM study, 255
Secretory inclusions, in salivary gland cells, of *Drosophila* larvae, ultrastructure of, EM study, 531
Sieve tube, movement of virus in, of leaves of sugar beet *Beta vulgaris*, relation of beet yellows virus to phloem and to, EM study, 71
Silk fibroin, of moth *Bombyx mori*, fine structure of and its relationship to crystallites revealed by X-ray diffraction, EM study, 289
Skin and feather germs, of embryonic chick, extracellular bundles of anchor filaments in, EM study, 236
Spermatids, of *Lumbricus terrestris*, structural changes of in seminal vesicles and receptacles, cytodifferentiation during spermiogenesis, EM study, 11
Spermatozoon, capsule of, in decapod crustaceans, presence of extranuclear basic proteins in, cytochemical study, 547
Spermiogenesis, cytodifferentiation during, of *Lumbricus terrestris*, structural changes in spermatids in seminal vesicles and receptacles, EM study, 11
—, in wild type and in male sterility mutant *Drosophila melanogaster*, determination of fine structural and cytochemical anomalies associated with genetic lesion, 663
Spleen, of rabbit, differentiation and functional expression of potential antibody-producing cells in presence of chloramphenicol, studied by antibody assays, electrophoresis, immunofluorescence, histologic and EM examination, 401
Sporogonic stages, of *Plasmodium berghei*, nucleocytoplasmic relationships during, differentiation of nuclear and cytoplasmic fine structure in, EM and histochemical study, C7
Surface-active agents, observations on effect of on metabolism and morphology of polymorphonuclear leukocytes and mononuclear cells, of guinea pig, biochemical and EM study, 629
Surface coat, carbohydrate-rich, of cells in rat tissues, characterization of, light and EM cytochemical study, 27

T

Temperature, effects of on growth rate of cultured mammalian cells, analysis of four stages of cell life cycle, radioautographic study, 309
Tissue culture chambers, multipurpose, circumfusion system for, introduction to mechanics, techniques, and basic results of 12-chamber (in vitro) closed circulatory system, 89
Tissue culture, of oral mucosa, of guinea pig, structural identification of epithelial-like cells in outgrowths from explants of palatal mucous membrane, EM study, 770
Tonofilaments, periodic repeat units in, of cultured epithelial cells of embryonic mouse, EM study, 227
Transport of fluid across epithelial membranes, cellular mechanism of intestinal permeability alterations produced by chelation depletion, in rat small intestine, role of divalent cations in, physiological and EM study, 685
T system and its association with sarcoplasmic reticulum, in cockroach femoral muscle, EM study, 535
—, and sarcolemma, structural features of, in striated muscle, of lamprey, EM study, 219
Tumor cells (Ehrlich ascites and Sarcoma 180), isolated, protein uptake by, stimulations due to pH and hypertonicity and polycations or dehydration and their relation to enhanced penetration of infectious RNA, biochemical study, 737

U

Uterus and heart, of rat, isolation of enzymically active nuclei from, biochemical study, 766
—, of rat, fine structural changes in smooth muscle cells and fibroblasts of in response to estrogen, EM study, 155

V

Vacuoles, digestive, use of formaldehyde-treated albumin-^{131}I in analysis of, some properties of these particles, from mouse liver, biochemical study, 699
Vesicles (submitochondrial) and mitochondria, isolated from bovine heart, changes in fine structure of following removal and restoration of lipid, EM and biochemical study, 193
Villi, intestinal, of mouse, spatial and temporal differentiation of alkaline phosphatase on, cytochemical study, C1
Virus, beet yellows, relation of to phloem and to movement in sieve tube in leaves of sugar beet *Beta vulgaris*, EM study, 71

W

Worm, *Lumbricus terrestris*, cytodifferentiation during spermiogenesis, structural changes in spermatids in seminal vesicles and receptacles, EM study, 11

X

X-irradiation, cytological analysis of organotypic cultures following, of dorsal root ganglia, of rat, changes in neurons and satellite cells, light and EM study, 467
—, cytological analysis of organotypic cultures following, of dorsal root ganglia, of rat, changes in Schwann cells and myelin sheaths and nerve fibers, light and EM study, 497

Y

Yeasts, *Rhodotorula*, *Saccharomyces*, *Candida*, structural differences of obligately aerobic and facultatively anaerobic, EM study, 519